

MODELING AND SIMULATING HOUSEHOLDS AND FIRMS LOCATION CHOICE USING AGENT-BASED MODELS: APPLICATION TO THE URBAN AREA OF BORDEAUX

Youssef Bouanan
Seghir Zerguini
Nathalie Gaussier

Lab. GREThA UMR CNRS 5113
University of Bordeaux
Avenue Léon Duguit, 33608, Pessac, FRANCE

ABSTRACT

This article aims to respond to growing concerns about sustainable urbanization, which in recent years have generated a need for prospective assessment in the field of transport and land-use planning, by predicting future land-use development. We introduce a Land Use model (part LU of a Land Use Transport Interaction model) which aims to simulate households and firms location choice within an urban system. We use the agent-based approach to simulate location choices in order to account for land use changes and to estimate residential and economic activities location. This is a dynamic bottom-up approach with the households and the firms as their basic components. The MUST-B model considers the agents' location choices according to the utility theory and the equilibrium between real estate supply and demand. The model is used to simulate urban land-use development in the urban area of Bordeaux, France.

1 INTRODUCTION

Sustainable urbanization is a challenging issue in developing countries. The changes that occur in land-use due to urbanization enable a complex process caused by the interaction between natural and social systems (Valbuena et al. 2008, Hosseinali et al. 2013). Increases in population as well as the movement of people from rural to urban areas are the two major factors for this phenomenon. Major economic and social activities take place in the urban areas where complex systems (ex. Land use, transportation, utilities, etc.) interact with each other. The unplanned urbanization has been creating problems like land scarcity and pressure, pollution, traffic, and congestion. To understand and analyze the complexity of urban systems, models of land use and transport interaction serve as important tools for policy analysis and decision support.

Numerous studies show that the limits of daily travel are further extended (Orfeuill 2000). The population in urban areas has grown steadily, now estimated at around 75% in Europe and 80% in France. Many residents of metropolitan regions work within the central urban area, and choose to live in satellite communities commuting to work via automobile or mass transit. The process of suburbanization is driven by effectiveness of means of transport, infrastructure, systems, facilities and vehicles. Urban sprawl is causing an explosion in commuting, home-work trips, resulting in increasing congestion of transport infrastructure, pollution at peak times, and dependence on cars (Newman and Kenworthy 1999). In this perspective, many authors ask questions about the fragility of populations living in peri-urban areas and whose transport budget is sensitive to changes in the cost of energy (Crozet and Joly 2004). The scarcity of space, energy and time makes it necessary to understand the residential relocations and the daily movements of households, the commuting conditions of travel and the urban planning. Controlling the phenomenon of urban growth clearly becomes a demand for sustainable development, urban planning and public policies.

Simulation is tremendous opportunity to analyze problems. It provides users with practical feedback when planning real-world systems (Zhang et al. 2011). It allows planners to study a problem at different levels of abstraction. In the last decade, several land use models have been developed and used to simulate and predict land use change in the future. Without using models that embrace the complexity of the urban system, it would be difficult to simulate and predict the future of urban growth (Hosseinali et al. 2013). Theories on the interaction between urban land use and transport address the locational and mobility responses of private actors (households, firms and regional commuters) to changes in the urban land use and transport system at the urban-regional level (Wegener 2004). A general framework to model households and firms' location choice and their interactions with other parts of the urban system can be framed in three interrelated stages, corresponding to urban development or land-use, activity, and transportation system performance.

There are many modeling tools in use according to different research objectives: the relevant LULI models can be divided into three categories. Firstly are empirical-statistical models. These models are based on data, statistical and econometric analysis to identify the factors of Land Use change (Bin and Tao 2010). Secondly are spatially explicit models, such as the cellular automata model (Ahmed and Ahmed 2012, Han et al. 2015). Thirdly, agent-based models have been developed to simulate LULI change by individual agents (Parker et al. 2003). ABMs use the actors of land-use change (individual or institutions) as objects of analysis and of simulations, and pay explicit attention to interactions among these 'agents'. Specific advantages of agent-based models include their ability to model individual decision-making entities and their interactions. In this paper, we use the agent-based approach to study urban dynamics and to simulate the households and firms location choices. Our approach aims at integrating land-use factors into an agent-based model for modeling the part LU of a LUTI model: Land-Use changes as an interaction between households and firms location.

To achieve this goal, we will first explain the criteria for selection of a target location for households and firms. Then, we will show how the notion of territorial accessibility affects the real estate market of the Bordeaux region. We will also describe the characteristics and identify the primary driving factors of land use change patterns. Finally, we will simulate the Households and firms location choice in Bordeaux region under different scenarios.

2 RELATED WORK

2.1 Land use models

The ideas behind residential location modelling have a long history. Residential location modelling dates back to the work of Alonso (Alonso 1960, Alonso 1964) who laid the foundations for the economic analysis by applying Von Thunen's key "bid rent" idea to residential location; and to Lowry (Lowry 1964) who used spatial interaction principles in his Model of Metropolis (Pagliara and Wilson 2010). The basic assumption of the Alonso model is that firms and households choose that location at which their bid rent, i.e. the land price they are willing to pay, equals the asking rent of the landlord, so that the land market is in equilibrium (Wegener 2004). According to Wegener all models rely on random utility or discrete choice theory to explain and forecast the behavior of actors such as households or firms (Wegener 2004). The random utility maximization-based framework assumes that the ultimate goal of an agent's (household or firm) behavior is to maximize its utility. Agents maximize their utilities by choosing a vector of goods and a residential location, described by a set of attributes. Segal (Segal 1977) identified five major characteristics used to evaluate the attractiveness of a residential location: the physical characteristics of the area, its socio-economic characteristics, the public services, the environmental qualities and the accessibility of the area.

LUTI-models combine a Land-Use model with a Transport model. This connection is based on the mutual influence of Land-Use and Transport (Wegener 2004). They have moved from special interaction models or statistical models through econometric models to micro-simulation, cellular automata and agent-

based models. Researchers have built several residential mobility microsimulation models and applied them to the context of different countries and regions. Some of the most advanced LUTI models are IRPUD (Wegener 2011), DELTA (Simmonds 2001), MEPLAN (Echenique et al. 1990), Urbansim (Waddell 2002), MUSSA (Martinez 1996) and MARS (Pfaffenbichler et al. 2010). More recent developments have seen a move towards more detail with micro-simulation or agent-based models such as ILUTE (Miller and Salvini 2001). For a good overview of the models and their history, the reader is referred to Acheampong and Silva (Acheampong and Silva 2015), who discuss the existing operational LUTI modeling frameworks as well as the modeling methodologies that have been applied over the years.

The MUST-B Model, presented in this paper, is the part LU of a LUTI model. It introduces a land use model that allows the integration of urbanization and planning mechanisms in terms of the location of households and economic activities. It aims at interacting with a transport model that seeks to take account of the daily mobility. While some LUTI models (e.g. MARS) have been built at an aggregate level, the MUST-B model has gone down the route of using more detailed models. The aim was to make the model easy to use while being easily understood by decision makers rather than black box by involving researchers and consultants in a multi-disciplinary approach in order to identify the interdependencies in the mechanisms that are reproduced by the simulation. Another feature of the MUST-B model is that it can assess environmental consequences of energy consumption and air pollution (e.g. greenhouse gas emission and air quality) related to the mobility and to the building. It aims to integrate the systemic articulation of the land and real estate markets which makes it possible to take into account all the interactions between the different urban actors. Also, MUST-B model integrates the social housing, which accounts for 25% of the national housing stock.

2.2 Agent-based modeling and simulation

The agent based models approach has recently emerged and gained popularity in the urban-related scientific community. It offers a way of replacing transition probabilities at one level with decision rules on entities at lower level. These models use the actors of land-use change (individual or institutions) as objects of analysis and simulations, and pay explicit attention to interactions among these “agents” (Hosseinali et al. 2013). Agent based modeling offers various types of agents, models of their behavior and characteristics, through a range of architectures and components libraries. ABM as a modeling technique allows for a natural description of a complex system in a flexible and robust manner so as to capture emergent phenomenon (Silva 2011, Acheampong and Silva 2015). While the use of behavioral rules is similar to other disaggregate simulation techniques, ABM approach allows the agents (e.g., household, firms) to learn, modify, and improve their interactions with their environment (Acheampong and Silva 2015). Several characteristics define agents: they are autonomous, they share an environment through agent communication and interaction, and they make decisions that tie their behavior to the environment so that they shape and are influenced by their environment. Agents make inductive and evolving choices that move them toward achieving goals (Parker et al. 2003, Wooldridge 2009). The agent-based simulation simulates the effect of changes in policy on each of these micro units. Differences before and after the changes can be analyzed at the micro-level; and aggregated to show the overall effect of the changes (Mitton et al. 2000).

3 MATERIALS AND METHODS

3.1 MUST-B: Land Use Model

The main purpose of the MUST-B model is to estimate variations in the location of population and jobs, and real estate prices in an urban system to changes that are mainly associated to the transport system (we also envisage to estimate the energy consumption and the level of greenhouse gases GHG emissions). At the end, our objective is to develop an integrated land use / transport model to simulate and evaluate the impact of exogenously given transport and multi-sectoral urban policies such as the implementation of new transport systems or new travel demand management policies and changes in public transport provision.

This allows for any change occurring in the territorial system to lead to a new equilibrium solution representing the new state of the system. At the equilibrium of the two models (land use-transport) in interaction, one deduces the energy consumption and the GHG emissions linked to the four sectors: daily mobility, operation of building, urban services and economic activities. Figure 1 illustrates the conceptual structure of the MUST-B tools.




Figure 1: General structure of MUST-B Model.

The two sub-models making up the main structure of the MUST-B model are as follows:

- A residential location model that, given a set of real estate prices, and a residential supply, simulates the location of households, disaggregated by income classes, in the study area. It calculates the number of households locating or leaving an area. This model depends on the accessibility to jobs, the capacity and the development model of each zone and the rent in each zone.
- A firm location model that is modeled similarly to the residential location model by differentiating activities according to their spatial footprint. It simulates the distribution of these economic activities disaggregated by an economic sector.

At this stage, we assume that some of the accessibility is exogenous. It is calculated at the beginning by the transport model depending on the available transport supply (network capacity and public transport services), that generates a cost matrix between the zones (expressed in either journey times or generalized transport costs) that, in turn, influence the accessibility of each zone. A transport model that, given a travel pattern (Accessibility) for households and activities, simulates the simultaneous equilibrium between supply and demand in the transport system. Accessibilities are generated based on population, the number of jobs, travel time and travel cost.

The implicit prices model calculates the average real estate prices in each zone as a function of the supply and demand for locating in each zone as well as the structural and environmental characteristics of the area.

The residential location model starts from the hypothesis that households locate depending on different zonal characteristics, including the distance from workplaces, the notoriety or quality of the neighborhood (availability of public services, shopping centers, schools, etc.), or the costs involved including price, taxes,

energy load, and travel costs obtained from the interaction between the transport and economic activities location sub-models. Another important variable involved in residential location are the real estate prices of each zone, obtained using the bid function which depends on household utilities. The activity location model works in a similar way to the residential location model, considering the utility of each zone as a function of different variables. Among these variables is the accessibility of the population to each zone, depending on the travel costs between areas derived from the transport model and the population of each zone derived from the residential location model. The simplified flow diagram of the sub-models can be seen in Figure 2.

The first step is to determine a part of the accessibility associated to the performance of the transport systems. This parameter is calculated using the transport model. Initially, agents (households and firms) are distributed arbitrarily on the agglomeration respecting the capacity constraint of the areas. We randomly choose an agent a candidate to move located in the zone i , and a zone of destination j . The allocation of agents to the different zones is based on a bidding mechanism for the acquisition of household or a commercial establishment (firm). The bid function (equation 1) is derived from the utility function and can be understood as profit in monetary terms. It represents the monetary value that a consumer allocates to the set of attributes of a property, constructed based on a structure of consumer preferences, as well as agent restrictions (such as income in the case of households). At the iteration n , the bid that an agent (consumer) a makes to move into the area j depends on the price of the real estate in its original area i and the difference in utilities between zones i and j at the iteration $n-1$. The agent's willingness to pay can be calculated using the following expression:

$$\pi_{j,n}^a = P_{i,n-1} + \delta(U_{j,n-1}^a - U_{i,n-1}^a) \quad (1)$$

Where P_i = the real estate price of the zone i , U_j^a = the utility value associated with new location alternative j for the agent a , and δ = the amplitude of the auction, determine the utility gain converted in an additive price of the initial price.

We assume that the agent a may choose to remain in its home area i if it is offered a discount on the price of the real estate. The expression of this new price is:

$$\pi_{i,n}^a = P_{i,n-1}(1 - \beta) \quad (2)$$

3.2 Criteria of households residential choice

Many researchers have considered various factors representing decision-making criteria of households to select target location (Matthews et al. 2007). Lowry rooted his very simple model in the journey to work and the availability of employment (Lowry 1964). Access to services – such as schools, facilities – is another interaction-based element. In this research, the residential location model is based on a hypothesis derived from random utility theory that households choose locations that maximize their utility. Households value different zones as a function of their location environment attributes and the time and goods associated with the activities. The proposed method consists of constructing a residential utility function that integrates household's behavior in their residential location choice and allows households to be allocated to residences using an auction procedure. The residential utility function reflects the satisfaction of the household associated to a given location and type of building.

The MUST-B model allows the inclusion of a large number of variables representing the most relevant attributes of households (socioeconomic characteristics), real estate (property types), and the locations (neighborhoods, activities). It depends on several parameters such as the accessibility and notoriety of the area, the surface of the housing, the price of real estate, etc. There is a trade-off of accessibility and environmental characteristics against rent. The utility is constrained by a household's socio-economic class.

Within this calculation, the exogenous accessibility (derived from the transport model) is considered to be known and fixed.




Figure 2: Simplified flowchart of the MUST-B model.

The utility function of the household ‘h’ residing in the zone ‘z’ that ascribes utility values to the new home location alternatives has the following general, linear form:

$$U_{h,z} = \alpha_{1_h} AC_z + \alpha_{2_h} NO_z + \alpha_{3_h} SL_h - EC_z * SL_h - P_z * SL_h \quad (3)$$

Where AC = accessibility of the selecting zone, Z = index representing new zone of the new location alternatives, NO = notoriety of the zone (reflects the quality of neighborhood life and availability of public services such as shopping and schools), SL = surface area, EC = energy costs per m² of the area under consideration, P = price per m² of the housing of the area under consideration, and α_i : utility function parameter to be estimated according to the household’s socio-economic class. The households will be allocated in zone where they maximize their utility.

If $U(\pi_{j,n}^h) > U(\pi_{i,n}^h)$ the household h chooses to locate in the zone j, otherwise it will remain in the zone i. In the case where the zone j is already saturated (the zone has reached its total capacity); we will move the household which has the lowest utility from the zone j to another destination.

3.3 Economic Activities Location Model

The economic activities location model can be used to determine the distribution of employment in the different zones of the study area. In urban research, economic activities are generally classified into four categories (Coppola et al. 2013): (1) basic sector activities dependent on exporting outside the system, (2) activities aimed at the internal demand, (3) representative activities such as those whose location depends

on particularly attractive zonal characteristics for reasons of prestige or centrality, (4) activities with low spatial efficiency that need large areas of land to function correctly.

The proposed method is similar to that of households' location choice. It consists in constructing a job localization function that integrates the behaviors of firms in the choice of location of their workplaces. This localization depends on different factors such as the accessibility to population and workforce, the area's attractiveness, the firm characteristics and activities, the price of real estate, etc. The firm tries to acquire the local that it considers most useful for its activity according to its profit maximization function. So, as for households, we consider the choice that maximizes its utility.

The utility function of the firm f (characterized by its size and the sector of activity to which it is attached) located in zone z can be expressed as follows:

$$U_{f,z} = \lambda_{1f} AC_z + \lambda_{2f} NO_z + \lambda_{3f} RE_z - TT_z * SL_f - P_z * SL_f \quad (4)$$

Where:

- Accessibility (AC) of the working population to the zone
- Notoriety (NO) of the area considered.
- Surface of the desired local (SL)
- Ratio of firms (REs) of the same activity in the area considered
- Taxes in the area (TT)
- Real estate price (P) per m²
- λ_i parameters to be estimated according to the activity of the firm

The firms will be allocated in zone where they maximize their utility.

If $U(\pi_{j,n}^f) > U(\pi_{i,n}^f)$ the firm f chooses to locate in the zone j , otherwise it will remain in the zone i . In the case where the zone j is already saturated (the zone has reached its total capacity); we will move the firm which has the lowest utility from the zone j to another destination, zone k for example.

The relocation of an agent affects the composition of the area; neighborhood (in the case of residential use) or the possibility of agglomeration economies (in the case of firms). Since the model modifies these attributes and they can be assessed in a negative as well as a positive manner by the rest of the agents, consumers reevaluate their bid in response to the area's updated characteristics. According to each area characteristics there is the possibility of changing location, because the agent's willingness to pay is altered, either increasing or decreasing. For example, some retail firms would like to be located near the residents/clients who are their clients.

3.4 An agent-based architecture for modeling land use and transport interaction

The agent-based simulation uses database for input, a Discrete Event-based simulation and RStudio to analyze and visualize the output results. The simulation starts with the experiment to simulate. Such experiment includes all agents' attributes and variables. In residential location choice sub-model, a household is modeled as a single agent, and in the economic activities location choice sub-model, a firm is also modeled as an agent. The repository contains all the individual static models. The GENERATOR connects to the input files to retrieve all the configuration information and all agents' static attributes from the experiment. The simulation is driven by an R script to produce a result set, which we processed to conduct statistical analysis and to display results. We use R to processes the results. The result files are used to visualize the simulation and to conduct analysis. The analysis can lead to a new cycle. This allows focusing on critical parameters (agent' preferences, environmental attributes, etc.) that determine the model output (real estate price, land use) (Figure 3). This simulation is run using VLE (Virtual Laboratory Environment). VLE software (Quesnel et al. 2009) implements Discrete Event system Specification (DEVS) M&S and supports multi-modeling, simulation and analysis. It is based on an extension of DEVS, the Dynamic Structure Discrete Event formalism (DSDE) (Barros 1997). The implementation of the DSDE abstract simulators gives to VLE the ability to simulate distributed models and to load and/or delete atomic

and coupled models at runtime. It is also possible to perform statistical analysis of results thanks to a plug-in that allows communication between VLE and R (Quesnel et al. 2009).




Figure 3: Agent based-modeling and simulation architecture for MUST-B model.

4 CASE STUDY

In order to model household and economic activities location as part of the MUST-B model, we use the agglomeration of Bordeaux as a case study. In this section, we will simulate a simple scenario to predict the urban development in a specific period and test our model functioning.

4.1 Study area

The Urban Area of Bordeaux (UAB) consists of 191 communes of the counties of Gironde and Landes (called in France “département”, a french legal subdivision) and covers an area of 3,901 km². This area contains the Bordeaux metropolis, considered as the central city of the Gironde County, and fifteen small towns located nearby. The area also includes several villages and industrial or touristic regions. Development has occurred mostly in lands around the city and the towns. The area of Bordeaux extends to the ocean and has 1.1 million residents, 523310 households, 467211 jobs and 34676 firms. The vast majority of the population lives in an area under urban influence, i.e., according to INSEE, the French National Institute for Statistics and Economic Research, a metropolitan area within the meaning of commuting from home to work activity .




Figure 4: The study area.

4.2 Data preparation

The area is administered by 255 different IRIS, the acronym of ‘aggregated units for statistical information’ with a target size of 2000 residents per basic unit. These units represent the fundamental unit for dissemination of infra-municipal data. They respect geographic and demographic criteria and have borders which are clearly identifiable and stable in the long term. To simplify, we have divided the metropolitan area into 5 zones according to geographic and transportation criteria (Figure 4). The data used in estimating

the parameters of the different sub-models came from three main sources. The first source was provided by official statistics (INSEE 2012). It collects and publishes information about the activities, jobs and households, and carries out the periodic national census. The second source is the urban planning agency of the Bordeaux metropolis, which have appropriate information on urban planning and development projects and studies the general rules for land use in the territory of the study area. Finally, the third data source consists of a transport survey designed principally by the authors that provided information on the characteristics of the surveyed households and the mobility of each household member. These data are used to characterize demand (households and establishments) and supply (housing stock, land, etc.). Some data have been estimated on the basis of demand and supply. For example, the building's energy bill based on the age of the building and the area's notoriety according to public services, Shops, schools, etc.

4.3 Results and discussions

The data required to run the MUST-B model are imported through a series of text files that can be edited before each simulation cycle. In the present case, a part of the accessibility for activities and population in each zone is exogenous. The exogenous accessibility is based on a transportation model which is an external system related to the study area transport system. The measure of the other part of accessibility and attractiveness is modified at each iteration (each iteration represents a draw) depending on the results provided by residential and job location sub-models. These sub-models were implemented in VLE software and programmed using C++ code. An initial procedure (GENERATOR model) imports the exogenous accessibility indicators between the zones, the socio economic data and the neighborhood attributes. A second phase then calculates the real estate price indices as well as the location of households and firms by zone through the location models. On a computer view the agents do not exchange information and from an economic and social point of view the endogeneity (notion of economic equilibrium) represents the interaction between the agents.

Figure 5 illustrates the evolution of the real estate prices indicator during simulation. In this experiment, we fix the number of global iterations at $18E10^6$ iterations which is the criteria to stop the simulation. We print the real estate price indicator for each $18E10^4$ iterations. The real state price is modified at each iteration depending on the results provided by residential and job location sub-models. After a certain number of iterations ($\sim 10^7$ draw), the average price of real estate remains stable this means that the model is reached the state of equilibrium according to Wardrop's equilibrium principle in traffic assignment.

We also verified (see Figure 5) through another scenario that the initial point does not affect the price indicator at equilibrium state. The real estate price indicator is determined by the auction mechanism in an endogenous way.




Figure 5: Real estate prices indices of the UAB.

At the beginning of the simulation, the population is located randomly (Figure 6A) taking account the capacity of each zone. Then, the MUST-B model is used to predict households location in study area based on the information available on demand, actual real estate supply, building attributes and the corresponding economic incentives. Figure 6B shows the result of the simulation in terms of households' density by zone. In the Figure 7, we observe that the zone1 (the central city of the urban area of Bordeaux) is very attractive and the households consume the entire supply. This attractiveness can be explained by better notoriety (public services, parks, schools, security, etc.) of this area and a good index of accessibility. In this experiment we have presented the evolution of two indicators: the average price of real estate in the studied area and the location of households by zone. Other important indicators such as firms location, social mix, energy consumption, greenhouse gas emissions, etc. can be studied in order to analyze their influence on the pattern of land use development.




Figure 6: Representation of the location of households by zone; Figure 6-A: at the initial state; Figure 6-B: at the end of the simulation (Equilibrium state).




Figure 7: Households' location by Zone.

5 CONCLUSIONS AND PERSPECTIVES

This article has presented a land use and transport interaction model that can perform estimations of changes in the location of population, economic activities, energy consumption, greenhouse gases and real estate prices as a result of the introduction of policies and projects relating mainly to transport. This model aims to provide better decision helping tools for urban and regional long term planning. MUST-B model enables us to construct future scenarios of urban land use in a methodical and practical way, using a mathematical model with solid economic basis. In this study, we developed a new agent-based model for simulating future urban land-use development in our study area, located in the New Aquitaine region of France. In

details, MUST-B Model is developed using agent based modeling approach in which the agents are households and firms that seek to localize depending on the utility of the location and the financial constraints. It takes account of the functioning of land and real estate markets and it integrates several mechanisms such as real estate price estimation in an endogenous approach, integration of energy bills (housing and mobility) into the residential location choice model and Taking into account social housing. The different technics employed were previously validated in their respective domain and the models and simulation results proposed in this paper have confronted to expert in the domain. The next step is to make the MUST-B model operational by calibrating it to the urban area of Bordeaux and to validate it based on historical data. The predictive capacity of the MUST-B model will be assessed by confronting simulation results against historical observations that will be not used for calibration. In General, Available data are split between an “estimating” set (data 2012) will be used for model calibration and a “test” set (data 1990) will be used purely for validation.

ACKNOWLEDGMENTS

This work is supported by the MUST-B Project funded by the “Région Nouvelle Aquitaine”. We thank researchers (Anne Bretagnolle of Paris 1 University, Sonia Guelton of Paris-Est University, Moez Kilani of Lille University, Nicolas Coulombel of Paris-Est University, Laurent Guimas of Explain Consultancy and Ouassim Manout of ForCity) involved in the project for their assistance.

REFERENCES

- Acheampong, R. A., and E. Silva. 2015. "Land use–transport interaction modeling: A review of the literature and future research directions." *Journal of Transport and Land Use* 8(3).
- Ahmed, B., and R. Ahmed. 2012. "Modeling urban land cover growth dynamics using multi- temporal satellite images: a case study of Dhaka, Bangladesh." *ISPRS International Journal of Geo-Information* 1(1):3-31.
- Alonso, W. 1960. "A theory of the urban land market." *Papers in Regional Science* 6(1):149-157.
- Alonso, W. 1964. *Location and land use. Toward a general theory of land rent*. Harvard University Press.
- Barros, F. J. 1997. "Modeling formalisms for dynamic structure systems." *ACM Transactions on Modeling and Computer Simulation* 7(4):501-515.
- Bin, P., and P. Tao. 2010. "Land use system dynamic modeling: literature review and future research direction in China." *Progress in Geography* 29(9):1060-1066.
- Coppola, P., Á. Ibeas, L. dell’Olio, and R. Cordera. 2013. "LUTI model for the metropolitan area of Santander." *Journal of Urban Planning and Development* 139(3):153-165.
- Crozet, Y., and I. Joly. 2004. "Budgets temps de transport: les sociétés tertiaires confrontées à la gestion paradoxale du " bien le plus rare". " *Les Cahiers scientifiques du transport* (45):27-48.
- Echenique, M. H., A. D. Flowerdew, J. D. Hunt, T. R. Mayo, I. J. Skidmore, and D. C. Simmonds. 1990. "The MEPLAN models of Bilbao, Leeds and Dortmund." *Transport Reviews* 10(4):309-322.
- Han, H., C. Yang, and J. Song. 2015. "Scenario simulation and the prediction of land use and land cover change in Beijing, China." *Sustainability* 7(4):4260-4279.
- Hosseinali, F., A. A. Alesheikh, and F. Nourian. 2013. "Agent-based modeling of urban land-use development, case study: Simulating future scenarios of Qazvin city." *Cities* 31:105-113.
- INSEE. 2012. "Socio-economic data." Retrieved April, 2017, from <https://www.insee.fr/fr/statistiques>.
- Lowry, I. S. 1964. *A model of metropolis*. Rand Corporation Santa Monica, CA.
- Martinez, F. 1996. "MUSSA: land use model for Santiago city." *Transportation Research Record: Journal of the Transportation Research Board* (1552):126-134.
- Matthews, R. B., N. G. Gilbert, A. Roach, J. G. Polhill, and N. M. Gotts. 2007. "Agent-based land-use models: a review of applications." *Landscape Ecology* 22(10):1447-1459.

- Miller, E. J., and P. A. Salvini. 2001. "The Integrated Land Use, Transportation, Environment (ILUTE) microsimulation modelling system: description and current status." *Travel Behaviour Research: The Leading Edge*: 711-724.
- Mitton, L., H. Sutherland, and M. Weeks. 2000. *Microsimulation modelling for policy analysis: challenges and innovations*. Cambridge University Press.
- Newman, P., and J. Kenworthy. 1999. *Sustainability and cities: overcoming automobile dependence*. Island press.
- Orfeuill, J.-P. 2000. *La mobilité locale: toujours plus loin et plus vite. Les territoires de la mobilité*, Presses Universitaires de France: 53-68.
- Pagliara, F. and A. Wilson. 2010. The state-of-the-art in building residential location models. *Residential location choice*, Springer: 1-20.
- Parker, D. C., S. M. Manson, M. A. Janssen, M. J. Hoffmann, and P. Deadman. 2003. "Multi-agent systems for the simulation of land-use and land-cover change: a review." *Annals of the association of American Geographers* 93(2):314-337.
- Pfaffenbichler, P., G. Emberger, and S. Shepherd. 2010. "A system dynamics approach to land use transport interaction modelling: the strategic model MARS and its application." *System Dynamics Review* 26(3): 262-282.
- Quesnel, G., R. Duboz, and É. Ramat. 2009. "The Virtual Laboratory Environment—An operational framework for multi-modelling, simulation and analysis of complex dynamical systems." *Simulation Modelling Practice and Theory* 17(4):641-653.
- Segal, D. 1977. *Urban economics*, Homewood [Ill.]: Richard D. Irwin; Georgetown [Ont.]: Irwin-Dorsey.
- Silva, E. A. 2011. "Cellular Automata and Agent Base Models for Urban Studies: From Pixels to Cells to Hexa - dpi's." *Urban remote sensing: Monitoring, synthesis and modeling in the urban environment*: 323-334.
- Simmonds, D. 2001. *The objectives and design of a new land-use modelling package: DELTA*. Regional science in business, Springer: 159-188.
- Valbuena, D., P. H. Verburg, and A. K. Bregt. 2008. "A method to define a typology for agent-based analysis in regional land-use research." *Agriculture, Ecosystems & Environment* 128(1): 27-36.
- Waddell, P. 2002. "UrbanSim: Modeling urban development for land use, transportation, and environmental planning." *Journal of the American planning association* 68(3): 297-314.
- Wegener, M. 2004. *Overview of land use transport models*. Handbook of transport geography and spatial systems, Emerald Group Publishing Limited: 127-146.
- Wegener, M. 2011. "The IRPUD model." Spiekermann & Wegener in Dortmund. Available online: http://www.spiekermann-wegener.com/mod/pdf/AP_1101_IRPUD_Model.pdf (accessed on 1 December 2011).
- Wooldridge, M. 2009. *An introduction to multiagent systems*. John Wiley & Sons.
- Zhang, Q., Y. Ban, J. Liu, and Y. Hu. 2011. "Simulation and analysis of urban growth scenarios for the Greater Shanghai Area, China." *Computers, Environment and Urban Systems* 35(2): 126-139.

AUTHOR BIOGRAPHIES

YOUSSEF BOUANAN is a Postdoctoral researcher at University of Bordeaux. His email address is youssef.bouanan@u-bordeaux.fr.

SEGHIR ZERGUINI is Associate Professor at the University of Bordeaux. His email address is seghir.zerguini@u-bordeaux.fr.

NATHALIE GAUSSIÉ is Associate Professor HDR at the University of Bordeaux. Her email address is Nathalie.gaussier@u-bordeaux.fr.